


CORRIDOR[®] SV BAR 5621

BAR CABINET

INSTRUCTION MANUAL

LET'S GET STARTED.



DESIGN MATTHEW WEATHERLY

BDi

BDIUSA.COM

Congratulations on the purchase of your Corridor SV Bar 5621 from BDI. Your bar cabinet has been designed to provide a lifetime of enjoyment. This manual will provide assembly instructions and other helpful information to ensure you get the most out of your product. Please save it for future reference.

Your Corridor SV Bar has been engineered for simple assembly. Please follow these directions carefully to prevent any damage.

Should you need further assistance, contact BDI at customerservice@bdiusa.com.


ENJOY!




HARDWARE AND COMPONENTS

Unpack and identify the parts listed below. The assembly workspace should be a non-marring surface, such as carpet. For missing hardware pieces, please contact BDI Customer Service at customerservice@bdiusa.com. For all other concerns, please contact your BDI retailer.


Do not use power tools for the assembly of this product.




Hex Wrench (T1)QTY: 1




Leveling Wrench (T2)QTY: 1




Phillips Screwdriver
TOOL REQUIRED (NOT INCLUDED)




M6 x 70 Screw (H1)QTY: 8




M6 x 12 Screw (H2)QTY: 16




M4 x 30 Screw (H3)QTY: 4



Rubber Bumper (H4)QTY: 12




Cabinet (C1)QTY: 1




Leg (C3)QTY: 2

HARDWARE AND COMPONENTS




Upper Frame (C2)

QTY: 1




Lower Frame (C4)

QTY: 1




Bottom Shelf (C5)

QTY: 1



Top Panel (C6)

QTY: 1



Glass Shelf (C7)

QTY: 2





Door Pull (C8)


QTY: 2

ASSEMBLY

STEP 1. ATTACH UPPER FRAME

Place **Cabinet (C1)** upside down on a soft, flat surface. Place the **Upper Frame (C2)** on the **Cabinet (C1)**, paying careful attention the side hole orientation. Attach with **8 Screws (H1)**. Tighten with **Hex Wrench (T1)**.

	HEX WRENCH – T1	QTY 1
	SCREW – H1	QTY 8




STEP 2. ATTACH LEGS

ASSEMBLY

Attach **Legs (C3)** to **Upper Frame (C2)** using **8 Screws (H2)**. Tighten with **Hex Wrench (T1)**.

	HEX WRENCH – T1	QTY 1
	SCREW – H2	QTY 8






With help from another person, hold the **Lower Frame (C4)** in place and attach it to the **Legs (C3)** using **8 Screws (H2)**.

Ensure that the "Top" label on the **Lower Frame (C4)** will face up when the Cabinet is flipped over. Tighten with **Hex Wrench (T1)**.


	HEX WRENCH – T1	QTY 1
	SCREW – H2	QTY 8



STEP 4. INSTALL SHELF PINS & DRAWER LINER

ASSEMBLY

With help from another person, carefully flip the Cabinet over to its upright position. Shelf pins can be repositioned where desired. Once shelf pins are installed, place the **Drawer Liner (C7)** in the drawer.






ASSEMBLY

STEP 5. INSTALL GLASS SHELVES & DOOR PULLS

Install the **Glass Shelves (C8)** by slightly tilting them, sliding them in, and resting them on the **Shelf Pins (H3)**.

Attach the **Door Pulls (C9)** to the doors using **4 Screws (H3)**. Tighten with **Phillips Screwdriver (not included)**.


	PHILLIPS SCREWDRIVER NOT INCLUDED	QTY 1
	SCREW – H3	QTY 4




STEP 6. INSTALL RUBBER BUMPERS, BOTTOM SHELF & TOP PANEL

ASSEMBLY

Attach the **6** adhesive-backed **Rubber Bumpers (H4)** to the top of the **Cabinet (C1)**, then attach **6** adhesive-backed **Rubber Bumpers (H4)** to the top of the **Lower Frame (C4)**. Paying attention to the labels on the underside of the glass pieces, place the **Bottom Shelf (C5)** and **Top Panel (C6)** on top of the **Rubber Bumpers (H4)**.


	RUBBER BUMPERS– H4	QTY 12
---	--------------------	-----------



MOVING DRAWER TO OPPOSITE SIDE

To move the Drawer to the other side, follow these steps.

Fully extend the Drawer and **slide the plastic tabs inwards**. They are found near the ends of the slides on the underside. **Gently lift the front of the drawer and pull the drawer toward you** to remove it from the sides.




STEP 7. REMOVE DRAWER SLIDES

ASSEMBLY


Remove the 4 Screws holding the Left Drawer Slide to the interior wall using a **Phillips Screwdriver**.

Set these screws aside for later.




PHILLIPS SCREWDRIVER
NOT INCLUDED

QTY
1



Remove the 4 screws holding the Right Drawer Slide to the metal bracket using a **Phillips Screwdriver**.

Set these screws aside for later.




ASSEMBLY

STEP 8. REMOVE METAL BRACKET & ATTACH ON OPPOSITE SIDE


Remove the 4 screws mounting the Metal Bracket to the bottom of the cabinet using a **Phillips Screwdriver**.

Set these screws aside for later.




PHILLIPS SCREWDRIVER
NOT INCLUDED

QTY
1



Attach the Metal Bracket on the opposite side of the cabinet, **reinserting the 4 Bracket Mounting Screws** you just removed into the threaded inserts in the bottom panel of the cabinet. Tighten with a **Phillips Screwdriver**.



STEP 9. MOUNT DRAWER SLIDES ON OPPOSITE SIDE


ASSEMBLY

Mount the Left Drawer Slide to the **Metal Bracket** using **4** of the **Drawer Slide Mounting Screws**. Tighten with a **Phillips Screwdriver**.




PHILLIPS SCREWDRIVER
NOT INCLUDED


QTY
1



Mount the Right Drawer Slide to the interior wall of the cabinet using the **remaining 4 Drawer Slide Mounting Screws**. Tighten with a **Phillips Screwdriver**.




Gently place the drawer back on the drawer slides. Slide the drawer all the way back until it drops in place and sits flush on the drawer slides.



STEP 11. SECURE DRAWER INTO PLACE

ASSEMBLY


Push the plastic pins found near the ends of the drawer slides back into their place. This will secure the drawer in place on the slides.



FINE TUNING

LEVEL CABINET


Levelers are integrated into each leg assembly and are accessed at the bottom of each cabinet leg using the **Leveling Wrench (T2)**. If your floor is uneven, you may extend one or more levelers to attain a level, stable cabinet placement. Turning the leveler clockwise will extend the leveler; turning it counter-clockwise will retract it.

	LEVELING WRENCH – T2	QTY 1
---	----------------------	----------

FINE TUNING

ADJUST DOOR HINGES (IF NEEDED)


The doors on your cabinet should be evenly spaced and the doors should open and close freely without rubbing against the door frame.

	PHILLIPS SCREWDRIVER NOT INCLUDED	QTY 1
--	---	----------

If the cabinet's doors appear out of alignment, this condition can be corrected with minor adjustment to the European hinges on each door.

Use a **Phillips Screwdriver** to adjust Corridor's door hinges:

- By adjusting **Screw 1**, the door will move LEFT or RIGHT within the frame. Make minor adjustments at both top and bottom hinges for best results.
- By adjusting **Screw 2** the entire door will move IN or OUT, opening or closing the gap between the door frame and cabinet. (This screw rarely needs adjustment.)



Your BDI furniture has been constructed with the finest materials, carefully manufactured, and designed to last a lifetime. Regular furniture care will prolong your enjoyment and keep it looking its best. Here are some general tips for taking care of BDI furniture. Your surfaces may vary.

GLASS

Glass surfaces are maintained using household glass cleaner and a paper towel or cloth.

SATIN-ETCHED GLASS

This uniquely smooth-to-the-touch glass surface can be regularly maintained using household glass cleaner and a paper towel or cloth.

A 'Magic Eraser' removes minor scratches or scuffs not eliminated using a paper towel or cloth. 'Magic Eraser' is a melamine foam product available at any grocery store or home improvement center. Dampen the entire glass surface and the Magic Eraser, then rub the whole surface in broad, even strokes using moderate pressure. Clean and dry the surface with a paper towel. Check for results and repeat as necessary. Any scratches or scuffing not eliminated by one of the above methods can often be addressed by 'refreshing' the glass. This process should not be required more than once per 6-12 months. See this brief video for the simple method: www.bdiusa.com/glass

WOOD

Wood surfaces should be cleaned with a slightly damp (not saturated) cloth or paper towel. Do not use glass cleaner on wood. If moisture remains, dry the surface with another cloth. If needed, a gentle, non-abrasive cleanser may be used, but wipe away all cleaner residue and dry the surface with a cloth.

BDI's wood finishes feature natural hardwood solids and veneers. Wood is a product of nature and—unlike man-made materials that can be manufactured to strict and consistent specifications—has natural imperfections that are part of its appeal and character. Every piece of wood differs from every other, even when coming from the very same tree. As such, grain, texture, and tone variation should be expected from one panel or piece of furniture to the next.

While BDI's stained wood finishes are stable in tone & appearance, all finishes are subject to some degree of discoloration with prolonged exposure to direct sunlight. Please avoid positioning your BDI cabinet in any area with ample direct sunlight. To learn more about the features of natural wood, visit www.bdiusa.com/wood

METAL, PORCELAIN, & PAINTED SURFACES

Surfaces should be cleaned with a slightly damp (not saturated) cloth or paper towel. If moisture remains, dry the surface with another cloth. If needed, a gentle, non-abrasive cleanser may be used, but be sure to wipe away all cleaner residue and dry the surface with a cloth.

WARRANTY

BDI warrants to the original purchaser that for the below-stated warranty term, BDI will repair or replace any product, part, or component covered by this warranty that fails under everyday use due to a defect in material or workmanship. BDI will repair or replace the product mentioned above, part, or component with a comparable product, part, or component. The decision to repair or replace will be at BDI's sole discretion.

BDI furniture is warranted for three (3) years from the date of purchase, as shown on your sales receipt. The warranty period starts from the date of purchase. This warranty extends only to the original purchasers who acquire new products from BDI Authorized Resellers. To be eligible for warranty coverage, any product, part, or component must have been assembled, installed, used, and maintained according to BDI's published instructions. Any modification to the original product voids the warranty.

To view BDI's complete warranty information, visit www.bdiusa.com/warranty

PRODUCT REGISTRATION

Registering your new BDI product allows us to send you important product updates, service information, and helpful hints related to your BDI products. Register today, and you will be entered to win free a BINK table from BDI: www.bdiusa.com/register



BDIUSA.COM

These distinctive product configurations are protected by US and international patents, trade dress, and/or copyright laws. Corridor & BDI are trademarks of Becker Designed, Inc. All rights reserved. ©2023, BDI | V.04.27.2023

Made in China